

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	"6304517".pn. "5767747".pn. "5748570".pn. "5416435".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 09:59
L2	4	(US-5680626-\$ or US-6363488-\$ or US-6664833-\$ or US-6871292-\$).did.	USPAT	OR	OFF	2005/11/16 09:59
L3	0	331/46.ccls. and determin\$3 with (time adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:03
L4	356	331/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:03
L5	0	4 and reference near2 (internal adj2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L6	0	4 and calibrat\$3 adj2 timing near2 (remote adj2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L7	0	4 and calibrat\$3 adj2 timing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L8	56	"327"/\$.ccls. and calibrat\$3 adj2 timing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
L9	2	8 and reference near2 (internal adj2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
S1	2	"5117756".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:54
S2	2045	calibrat\$3 with (reference adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/27 10:32
S3	38038	calibrat\$3 with (reference or pulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/27 10:32

S4	1	calibrat\$3 adj timing with (remote adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:56
S5	2	calibrat\$3 with timing with (remote adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:57
S6	105518	(correlat\$3 or calibrat\$3) with tim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:58
S7	0	S6 and source with remaote	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:58
S8	1682	S6 and source with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 15:59
S9	1226	S8 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 16:35
S10	57	S9 and second adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 16:28
S11	5	S10 and (duration or timing) with event\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 16:29
S12	5	(US-6823031-\$ or US-6163296-\$ or US-5552824-\$ or US-3798650-\$ or US-4267458-\$).did.	USPAT	OR	OFF	2005/10/05 16:33
S13	1113	serial adj peripheral adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:34
S14	924565	S13 nd timing adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:34

S15	25	S13 and timing adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:35
S16	23	S15 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:30
S17	859	713/500.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:39
S18	0	S17 and spi with decoder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:39
S19	5	S17 and serial adj peripheral adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:41
S20	0	S19 and reference adj (signal or pulse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:36
S21	663	713/501.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:39
S22	1	S21 and spi with decoder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:39
S23	3	S21 and serial adj peripheral adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:43

S24	269	(calibrat\$3 or synchroniz\$3 or correlat\$3) with ((multiple or plural) adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:59
S25	14	S24 and reference adj (signal or pulse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:59
S26	6	S25 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 18:19
S27	4	(US-6363488-\$ or US-6871292-\$ or US-6664833-\$ or US-5680626-\$).did.	USPAT	OR	OFF	2005/10/05 18:15
S28	1298	receiv\$3 adj calibrat\$3	USPAT	OR	OFF	2005/10/05 18:15
S29	3	receiv\$3 adj (calibrat\$3 adj instruction\$1)	USPAT	OR	OFF	2005/10/05 18:18
S30	79	receiv\$3 adj (calibrat\$3 adj (data or instruction\$1))	USPAT	OR	OFF	2005/10/05 18:18
S31	69	S30 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 18:19
S32	0	S31 and receiv\$3 adj reference adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 18:19
S33	6	S31 and receiv\$3 with reference adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 18:20
S34	2	correlating adj2 timing with reference adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:30
S35	612	correlating with reference adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:30
S36	457	S35 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:38

S37	6	S36 and determin\$3 with (time adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:35
S38	2418	receive\$3 with (time adj reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:36
S39	2776	receiv\$3 with (time adj reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:36
S40	56	S39 and ((correlat\$3 or establish\$3) with event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:07
S41	42	S40 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/06 11:38
S42	1	calibrat\$3 adj timing near2 (remote adj2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:37
S43	1	calibrat\$3 adj2 timing near2 (remote adj2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:04
S44	37	calibrat\$3 near2 (remote adj2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:41
S45	25	S44 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:42
S46	0	S45 and reference near (internal adj2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:39
S47	2	S45 and reference near2 (internal adj2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:03
S48	1	S45 and reference near2 clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:40

S49	2	S45 and correlat\$3 near timing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:42
S50	847	375/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:41
S51	0	S50 and calibrat\$3 near2 (remote adj2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:41
S52	25	S50 and ((correlat\$3 or calculat\$3 or determin\$3) near timing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:42
S53	19	S52 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:51
S54	10045	spi or (serial near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 13:59
S55	1585	S54 and (source and remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:00
S56	228	S55 and (calibrat\$3 or determin\$3 or generat\$3) near2 (reference or base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:02
S57	0	S56 and (tim\$3 with base) near2 (receiv\$3 with reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:02
S58	34	S56 and (tim\$3 with base) and (receiv\$3 with reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:40
S59	4023	source near2 device near2 control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:41
S60	250	S59 and calibrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:41

S61	134	S60 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:12
S62	24	S61 and time near2 duration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:48
S63	10045	(spi or (serial near2 decod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:50
S64	0	S63 and calibrat\$3 near2 gerenerat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:50
S65	39	S63 and calibrat\$3 near2 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 14:50
S66	25	S65 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:22
S67	7163	spi or (serial near2 interface) with (count with calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:12
S68	4427	S67 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:13
S69	513	S68 and mode near operat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:14
S70	29	S69 and calibration with (device or module\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:17
S71	868	713/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:18
S72	2	"6871292".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:20

S73	7406	spi or (serial adj peripheral adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:24
S74	34	S73 and calibrat\$3 near2 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:24
S75	21	S74 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:27
S76	3	S73 and correlat\$3 near2 (tim\$3 and duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:18
S77	1167	(serial adj2 peripheral adj2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:12
S78	9	S77 and calibrat\$3 near2 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:24
S79	1167	S77 and (serial adj2 peripheral adj2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:27
S80	0	S79 and refrence adj2 signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:27
S81	106	S79 and reference adj2 signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:27
S82	77	S81 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:31
S83	3	S82 and (determin\$3 or calculat\$3) near2 (time adj2 (base or reference))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:31
S84	2963	(determin\$3 or calculat\$3) near2 (time adj2 (base or reference))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:31

S85	2273	S84 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:11
S86	310	S85 and number with cycle\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:17
S87	1	S86 and spi	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:32
S88	1	S86 and correlat\$3 with (tim\$3 adj2 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 15:33
S89	21	S86 and correlat\$3 near2 (tim\$3 or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:11
S90	2909	"375"/\$.ccls. and correlat\$3 near2 (tim\$3 or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:11
S91	2161	S90 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:23
S92	3	S91 and (spi (serial adj2 peripheral adj2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:12
S93	275	S91 and number with cycle\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:17
S94	7	S93 and correlat\$3 near2 (tim\$3 and duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:30
S95	12	375/343.ccls. and correlat\$3 near2 (tim\$3 and duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:26
S96	8	S95 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:06

S97	1	379/93.31.ccls. and correlat\$3 near2 (tim\$3 and duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:29
S98	66215	communication\$1 near2 (standard or protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:29
S99	856	S98 and correlat\$3 near2 (tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:37
S100	0	S98 and correlat\$3 near2 (tim\$3) near2 (internal near2 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:31
S101	18	S98 and correlat\$3 near2 (tim\$3) near2 (clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:31
S102	14	S101 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:37
S103	21264	second adj2 mode near2 operat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:36
S104	2021	S103 and (determin\$3 or calculat\$3) near (time or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:37
S105	479	S104 and second adj2 signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:37
S106	366	S105 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 16:37
S107	9	S106 and correlat\$3 near2 (tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:03
S108	4	"4114363".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:04

S10 9	2	"4382692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:04
S11 0	2	368/157.ccls. and determin\$3 with (time adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:06
S11 1	57	"368"/\$.ccls. and determin\$3 with (time adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 10:02
S11 2	52	S111 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:15
S11 3	4	S112 and ((correlat\$3 or establish\$3) with event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:14
S11 4	4	S113 and internal adj2 clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:11
S11 5	36	"968"/\$.ccls. and determin\$3 with (time adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:14
S11 6	0	S115 and ((correlat\$3 or establish\$3) with event)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:15
S11 7	36	S115 and (@ad<="20011214" or @pd<="20011214")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:15
S11 8	9	S115 and ((correlat\$3 or establish\$3) with tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/15 19:15
S11 9	6	("6226231").URPN.	USPAT	OR	OFF	2005/11/15 19:29